

Minimum Radius of Curvature

API: 42-389-40511 **Well: Sunnyside State 2 C8HU ST01** **Wellhead Location N+/S- : 31.728492**
Operator: PDC **Area: Orla** **E+/W- : -104.016957**
Rig: Citadel 4 **Type: U-Lateral** **Magnetic Declination: 6.50**
TD: 21,479' **Plane of Proposal: 1.84**

| Measured Depth Ft | Drift Angle Deg | Azimuth Direction Deg | Course Length Ft | TVD Ft | Vertical Section Ft | COORDINATES | | CLOSURE | | Dog Leg Severity Deg/100' | Build / Drop Deg/100' | Left / Right Deg/100' |
|-------------------|-----------------|-----------------------|------------------|--------|---------------------|-------------|---------|-------------|---------------|---------------------------|-----------------------|-----------------------|
| | | | | | | N-S Ft | E-W Ft | Distance FT | Direction Deg | | | |
| 0.00 | 0.00 | 0.00 | | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | |
| 198 | 0.81 | 142.95 | 198 | 198.0 | -29.46 | -1.12 | 0.84 | 1.40 | 142.95 | 0.41 | 0.41 | 72.20 |
| 291 | 1.01 | 135.04 | 93 | 291.0 | -30.53 | -2.22 | 1.82 | 2.87 | 140.70 | 0.25 | 0.22 | -8.51 |
| 383 | 1.35 | 159.61 | 92 | 383.0 | -32.09 | -3.81 | 2.77 | 4.71 | 144.00 | 0.65 | 0.37 | 26.71 |
| 476 | 1.72 | 193.61 | 93 | 475.9 | -34.47 | -6.19 | 2.82 | 6.81 | 155.51 | 1.04 | 0.40 | 36.56 |
| 569 | 2.07 | 213.91 | 93 | 568.9 | -37.26 | -8.95 | 1.56 | 9.08 | 170.13 | 0.81 | 0.38 | 21.83 |
| 661 | 2.13 | 221.70 | 92 | 660.8 | -39.98 | -11.60 | -0.51 | 11.61 | 182.50 | 0.32 | 0.07 | 8.47 |
| 754 | 2.45 | 212.60 | 93 | 753.7 | -43.02 | -14.57 | -2.73 | 14.82 | 190.61 | 0.52 | 0.34 | -9.78 |
| 846 | 2.32 | 200.80 | 92 | 845.7 | -46.47 | -17.96 | -4.45 | 18.51 | 193.91 | 0.55 | -0.14 | -12.83 |
| 937 | 2.13 | 191.72 | 91 | 936.6 | -49.88 | -21.34 | -5.45 | 22.02 | 194.32 | 0.44 | -0.21 | -9.98 |
| 1030 | 2.31 | 185.01 | 93 | 1029.5 | -53.45 | -24.90 | -5.96 | 25.60 | 193.46 | 0.34 | 0.19 | -7.22 |
| 1125 | 2.39 | 187.86 | 95 | 1124.4 | -57.33 | -28.77 | -6.40 | 29.47 | 192.54 | 0.15 | 0.08 | 3.00 |
| 1220 | 3.11 | 205.97 | 95 | 1219.3 | -61.65 | -33.05 | -7.80 | 33.96 | 193.28 | 1.18 | 0.76 | 19.06 |
| 1314 | 3.41 | 213.63 | 94 | 1313.2 | -66.36 | -37.67 | -10.46 | 39.09 | 195.52 | 0.56 | 0.32 | 8.15 |
| 1409 | 3.02 | 214.18 | 95 | 1408.0 | -70.87 | -42.09 | -13.43 | 44.18 | 197.70 | 0.41 | -0.41 | 0.58 |
| 1434 | 2.71 | 212.01 | 25 | 1433.0 | -71.94 | -43.14 | -14.12 | 45.39 | 198.12 | 1.31 | -1.24 | -8.68 |
| 1533 | 2.21 | 212.28 | 99 | 1531.9 | -75.61 | -46.74 | -16.38 | 49.52 | 199.31 | 0.51 | -0.51 | 0.27 |
| 1627 | 3.91 | 213.70 | 94 | 1625.8 | -79.89 | -50.93 | -19.12 | 54.41 | 200.58 | 1.81 | 1.81 | 1.51 |
| 1721 | 7.29 | 215.88 | 94 | 1719.3 | -87.56 | -58.44 | -24.40 | 63.32 | 202.66 | 3.60 | 3.60 | 2.32 |
| 1815 | 8.36 | 217.58 | 94 | 1812.4 | -98.05 | -68.68 | -32.06 | 75.80 | 205.02 | 1.16 | 1.14 | 1.81 |
| 1909 | 7.25 | 217.70 | 94 | 1905.6 | -108.40 | -78.79 | -39.86 | 88.30 | 206.83 | 1.18 | -1.18 | 0.13 |
| 2003 | 6.49 | 217.70 | 94 | 1998.9 | -117.52 | -87.69 | -46.73 | 99.36 | 208.05 | 0.81 | -0.81 | 0.00 |
| 2097 | 7.11 | 221.36 | 94 | 2092.2 | -126.31 | -96.26 | -53.83 | 110.29 | 209.21 | 0.80 | 0.66 | 3.89 |
| 2191 | 7.48 | 226.46 | 94 | 2185.5 | -135.15 | -104.84 | -62.11 | 121.85 | 210.64 | 0.79 | 0.39 | 5.43 |
| 2285 | 6.70 | 225.85 | 94 | 2278.8 | -143.45 | -112.87 | -70.48 | 133.07 | 211.98 | 0.83 | -0.83 | -0.65 |
| 2379 | 6.43 | 224.63 | 94 | 2372.1 | -151.26 | -120.44 | -78.11 | 143.55 | 212.96 | 0.32 | -0.29 | -1.30 |
| 2473 | 6.39 | 224.29 | 94 | 2465.5 | -158.98 | -127.93 | -85.46 | 153.85 | 213.74 | 0.06 | -0.04 | -0.36 |
| 2567 | 6.62 | 224.94 | 94 | 2558.9 | -166.80 | -135.51 | -92.94 | 164.32 | 214.44 | 0.26 | 0.24 | 0.69 |
| 2662 | 6.56 | 223.42 | 95 | 2653.3 | -174.85 | -143.33 | -100.54 | 175.07 | 215.05 | 0.19 | -0.06 | -1.60 |
| 2757 | 6.29 | 221.66 | 95 | 2747.7 | -182.91 | -151.16 | -107.72 | 185.62 | 215.48 | 0.35 | -0.28 | -1.85 |
| 2851 | 6.12 | 221.92 | 94 | 2841.2 | -190.70 | -158.73 | -114.50 | 195.72 | 215.80 | 0.18 | -0.18 | 0.28 |
| 2945 | 7.20 | 219.78 | 94 | 2934.5 | -199.18 | -166.99 | -121.61 | 206.58 | 216.06 | 1.18 | 1.15 | -2.28 |
| 3039 | 7.90 | 221.18 | 94 | 3027.7 | -208.82 | -176.38 | -129.63 | 218.89 | 216.32 | 0.77 | 0.74 | 1.49 |
| 3133 | 7.38 | 223.11 | 94 | 3120.9 | -218.35 | -185.65 | -138.01 | 231.33 | 216.63 | 0.62 | -0.55 | 2.05 |
| 3227 | 6.86 | 222.94 | 94 | 3214.2 | -227.12 | -194.16 | -145.96 | 242.91 | 216.93 | 0.55 | -0.55 | -0.18 |
| 3321 | 7.38 | 212.68 | 94 | 3307.4 | -236.54 | -203.36 | -153.05 | 254.51 | 216.97 | 1.46 | 0.55 | -10.91 |
| 3416 | 7.49 | 209.60 | 95 | 3401.6 | -247.25 | -213.87 | -159.40 | 266.74 | 216.70 | 0.44 | 0.12 | -3.24 |
| 3510 | 6.84 | 210.53 | 94 | 3494.9 | -257.59 | -224.02 | -165.27 | 278.39 | 216.42 | 0.70 | -0.69 | 0.99 |
| 3603 | 6.44 | 212.18 | 93 | 3587.3 | -266.95 | -233.21 | -170.86 | 289.10 | 216.23 | 0.48 | -0.43 | 1.77 |
| 3698 | 7.12 | 202.14 | 95 | 3681.6 | -277.07 | -243.17 | -175.92 | 300.13 | 215.88 | 1.44 | 0.72 | -10.57 |
| 3792 | 7.59 | 197.94 | 94 | 3774.8 | -288.49 | -254.47 | -180.03 | 311.71 | 215.28 | 0.76 | 0.50 | -4.47 |
| 3886 | 7.22 | 198.59 | 94 | 3868.1 | -300.12 | -265.98 | -183.82 | 323.32 | 214.65 | 0.40 | -0.39 | 0.69 |
| 3981 | 6.99 | 199.22 | 95 | 3962.3 | -311.35 | -277.09 | -187.63 | 334.64 | 214.10 | 0.26 | -0.24 | 0.66 |
| 4075 | 6.96 | 198.06 | 94 | 4055.6 | -322.28 | -287.91 | -191.28 | 345.66 | 213.60 | 0.15 | -0.03 | -1.23 |
| 4169 | 5.01 | 200.86 | 94 | 4149.1 | -331.63 | -297.16 | -194.50 | 355.16 | 213.21 | 2.10 | -2.07 | 2.98 |
| 4264 | 4.39 | 199.57 | 95 | 4243.8 | -339.01 | -304.46 | -197.20 | 362.75 | 212.93 | 0.66 | -0.65 | -1.36 |
| 4358 | 3.16 | 211.74 | 94 | 4337.6 | -344.68 | -310.06 | -199.77 | 368.84 | 212.79 | 1.55 | -1.31 | 12.95 |
| 4452 | 2.76 | 225.08 | 94 | 4431.5 | -348.58 | -313.86 | -202.73 | 373.64 | 212.86 | 0.84 | -0.43 | 14.19 |
| 4546 | 2.45 | 221.62 | 94 | 4525.4 | -351.77 | -316.96 | -205.67 | 377.84 | 212.98 | 0.37 | -0.33 | -3.68 |
| 4641 | 2.61 | 226.31 | 95 | 4620.3 | -354.88 | -319.97 | -208.58 | 381.95 | 213.10 | 0.28 | 0.17 | 4.94 |
| 4735 | 1.85 | 219.41 | 94 | 4714.2 | -357.61 | -322.62 | -211.09 | 385.54 | 213.20 | 0.86 | -0.81 | -7.34 |
| 4829 | 1.16 | 201.23 | 94 | 4808.2 | -359.71 | -324.68 | -212.40 | 387.98 | 213.19 | 0.88 | -0.73 | -19.34 |
| 4923 | 1.20 | 191.81 | 94 | 4902.2 | -361.57 | -326.53 | -212.95 | 389.83 | 213.11 | 0.21 | 0.04 | -10.02 |
| 5017 | 1.28 | 180.46 | 94 | 4996.1 | -363.59 | -328.54 | -213.16 | 391.63 | 212.98 | 0.27 | 0.09 | -12.07 |
| 5111 | 1.10 | 184.22 | 94 | 5090.1 | -365.54 | -330.49 | -213.23 | 393.31 | 212.83 | 0.21 | -0.19 | 4.00 |
| 5204 | 1.13 | 172.00 | 93 | 5183.1 | -367.34 | -332.29 | -213.17 | 394.79 | 212.68 | 0.26 | 0.03 | -13.14 |
| 5298 | 1.17 | 171.15 | 94 | 5277.1 | -369.19 | -334.16 | -212.89 | 396.21 | 212.50 | 0.05 | 0.04 | -0.90 |
| 5393 | 1.12 | 173.54 | 95 | 5372.1 | -371.07 | -336.04 | -212.64 | 397.67 | 212.32 | 0.07 | -0.05 | 2.52 |

Minimum Radius of Curvature

API: 42-389-40511 **Well: Sunnyside State 2 C8HU ST01** **Wellhead Location N+/S- : 31.728492**
Operator: PDC **Area: Orla** **E+/W- : -104.016957**
Rig: Citadel 4 **Type: U-Lateral** **Magnetic Declination: 6.50**
TD: 21,479' **Plane of Proposal: 1.84**

| Measured Depth Ft | Drift Angle Deg | Azimuth Direction Deg | Course Length Ft | TVD Ft | Vertical Section Ft | COORDINATES | | CLOSURE | | Dog Leg Severity Deg/100' | Build / Drop Deg/100' | Left / Right Deg/100' |
|-------------------|-----------------|-----------------------|------------------|---------|---------------------|-------------|---------|-------------|---------------|---------------------------|-----------------------|-----------------------|
| | | | | | | N-S Ft | E-W Ft | Distance FT | Direction Deg | | | |
| 5487 | 1.30 | 187.67 | 94 | 5466.0 | -373.04 | -338.01 | -212.68 | 399.35 | 212.18 | 0.37 | 0.19 | 15.03 |
| 5582 | 1.02 | 186.41 | 95 | 5561.0 | -374.95 | -339.92 | -212.92 | 401.10 | 212.06 | 0.30 | -0.29 | -1.33 |
| 5677 | 1.33 | 191.32 | 95 | 5656.0 | -376.88 | -341.84 | -213.23 | 402.89 | 211.95 | 0.34 | 0.33 | 5.17 |
| 5771 | 1.41 | 189.40 | 94 | 5750.0 | -379.10 | -344.05 | -213.63 | 404.98 | 211.84 | 0.10 | 0.09 | -2.04 |
| 5865 | 1.41 | 194.65 | 94 | 5843.9 | -381.38 | -346.31 | -214.11 | 407.15 | 211.73 | 0.14 | 0.00 | 5.59 |
| 5960 | 1.29 | 186.47 | 95 | 5938.9 | -383.58 | -348.50 | -214.53 | 409.24 | 211.62 | 0.24 | -0.13 | -8.61 |
| 6054 | 1.47 | 195.58 | 94 | 6032.9 | -385.81 | -350.72 | -214.97 | 411.36 | 211.51 | 0.30 | 0.19 | 9.69 |
| 6148 | 1.23 | 198.53 | 94 | 6126.9 | -387.95 | -352.83 | -215.62 | 413.50 | 211.43 | 0.27 | -0.26 | 3.14 |
| 6242 | 1.45 | 205.09 | 94 | 6220.8 | -390.01 | -354.87 | -216.44 | 415.66 | 211.38 | 0.28 | 0.23 | 6.98 |
| 6336 | 1.37 | 200.73 | 94 | 6314.8 | -392.16 | -357.00 | -217.34 | 417.95 | 211.33 | 0.14 | -0.09 | -4.64 |
| 6431 | 1.46 | 207.13 | 95 | 6409.8 | -394.33 | -359.13 | -218.30 | 420.27 | 211.29 | 0.19 | 0.09 | 6.74 |
| 6525 | 1.34 | 211.73 | 94 | 6503.8 | -396.37 | -361.14 | -219.42 | 422.57 | 211.28 | 0.17 | -0.13 | 4.89 |
| 6619 | 1.46 | 228.30 | 94 | 6597.7 | -398.14 | -362.87 | -220.89 | 424.81 | 211.33 | 0.45 | 0.13 | 17.63 |
| 6713 | 1.81 | 227.88 | 94 | 6691.7 | -400.00 | -364.66 | -222.89 | 427.38 | 211.43 | 0.37 | 0.37 | -0.45 |
| 6807 | 2.14 | 238.72 | 94 | 6785.6 | -401.99 | -366.57 | -225.49 | 430.37 | 211.60 | 0.53 | 0.35 | 11.53 |
| 6901 | 1.96 | 247.11 | 94 | 6879.6 | -403.62 | -368.10 | -228.47 | 433.24 | 211.83 | 0.37 | -0.19 | 8.93 |
| 6984 | 1.81 | 247.35 | 83 | 6962.4 | -404.76 | -369.16 | -230.98 | 435.47 | 212.03 | 0.18 | -0.18 | 0.29 |
| 6996 | 1.79 | 247.39 | 12 | 6974.5 | -404.91 | -369.30 | -231.33 | 435.78 | 212.06 | 0.17 | -0.17 | 0.33 |
| 7090 | 2.05 | 247.96 | 94 | 7068.5 | -406.20 | -370.50 | -234.25 | 438.34 | 212.30 | 0.28 | 0.28 | 0.61 |
| 7184 | 2.32 | 254.18 | 94 | 7162.4 | -407.46 | -371.65 | -237.64 | 441.13 | 212.60 | 0.38 | 0.29 | 6.62 |
| 7278 | 2.35 | 255.42 | 94 | 7256.3 | -408.58 | -372.65 | -241.33 | 443.97 | 212.93 | 0.06 | 0.03 | 1.32 |
| 7372 | 2.55 | 254.35 | 94 | 7350.2 | -409.75 | -373.70 | -245.21 | 446.97 | 213.27 | 0.22 | 0.21 | -1.14 |
| 7466 | 2.44 | 259.78 | 94 | 7444.1 | -410.80 | -374.62 | -249.19 | 449.93 | 213.63 | 0.28 | -0.12 | 5.78 |
| 7560 | 2.38 | 256.93 | 94 | 7538.1 | -411.72 | -375.42 | -253.06 | 452.75 | 213.98 | 0.14 | -0.06 | -3.03 |
| 7654 | 2.15 | 251.79 | 94 | 7632.0 | -412.83 | -376.41 | -256.64 | 455.58 | 214.29 | 0.33 | -0.24 | -5.47 |
| 7748 | 2.07 | 250.07 | 94 | 7725.9 | -414.06 | -377.54 | -259.91 | 458.36 | 214.54 | 0.11 | -0.09 | -1.83 |
| 7842 | 1.86 | 246.57 | 94 | 7819.9 | -415.34 | -378.72 | -262.91 | 461.03 | 214.77 | 0.26 | -0.22 | -3.72 |
| 7936 | 1.85 | 243.19 | 94 | 7913.8 | -416.72 | -380.02 | -265.66 | 463.67 | 214.96 | 0.12 | -0.01 | -3.60 |
| 8030 | 2.44 | 214.11 | 94 | 8007.8 | -419.14 | -382.36 | -268.14 | 467.01 | 215.04 | 1.30 | 0.63 | -30.94 |
| 8125 | 3.15 | 201.74 | 95 | 8102.6 | -423.31 | -386.46 | -270.24 | 471.57 | 214.96 | 0.98 | 0.75 | -13.02 |
| 8219 | 3.04 | 201.56 | 94 | 8196.5 | -428.08 | -391.17 | -272.11 | 476.51 | 214.82 | 0.12 | -0.12 | -0.19 |
| 8313 | 2.80 | 201.28 | 94 | 8290.4 | -432.59 | -395.63 | -273.86 | 481.17 | 214.69 | 0.26 | -0.26 | -0.30 |
| 8407 | 2.71 | 200.77 | 94 | 8384.3 | -436.86 | -399.85 | -275.48 | 485.56 | 214.57 | 0.10 | -0.10 | -0.54 |
| 8500 | 2.57 | 182.48 | 93 | 8477.2 | -441.02 | -403.99 | -276.35 | 489.46 | 214.37 | 0.91 | -0.15 | -19.67 |
| 8594 | 2.26 | 180.97 | 94 | 8571.1 | -444.98 | -407.95 | -276.47 | 492.81 | 214.13 | 0.34 | -0.33 | -1.61 |
| 8688 | 1.98 | 188.15 | 94 | 8665.0 | -448.45 | -411.41 | -276.74 | 495.82 | 213.93 | 0.41 | -0.30 | 7.64 |
| 8782 | 1.82 | 181.58 | 94 | 8759.0 | -451.56 | -414.51 | -277.01 | 498.55 | 213.75 | 0.29 | -0.17 | -6.99 |
| 8876 | 1.77 | 182.45 | 94 | 8852.9 | -454.50 | -417.45 | -277.11 | 501.05 | 213.58 | 0.06 | -0.05 | 0.93 |
| 8970 | 1.56 | 180.50 | 94 | 8946.9 | -457.23 | -420.18 | -277.18 | 503.37 | 213.41 | 0.23 | -0.22 | -2.07 |
| 9064 | 1.39 | 195.87 | 94 | 9040.9 | -459.62 | -422.55 | -277.51 | 505.53 | 213.29 | 0.46 | -0.18 | 16.35 |
| 9158 | 1.49 | 194.28 | 94 | 9134.8 | -461.92 | -424.83 | -278.12 | 507.78 | 213.21 | 0.11 | 0.11 | -1.69 |
| 9253 | 1.45 | 197.60 | 95 | 9229.8 | -464.28 | -427.18 | -278.79 | 510.10 | 213.13 | 0.10 | -0.04 | 3.49 |
| 9347 | 1.32 | 186.21 | 94 | 9323.8 | -466.51 | -429.39 | -279.26 | 512.21 | 213.04 | 0.32 | -0.14 | -12.12 |
| 9442 | 1.49 | 191.69 | 95 | 9418.7 | -468.81 | -431.68 | -279.63 | 514.34 | 212.93 | 0.23 | 0.18 | 5.77 |
| 9536 | 1.31 | 197.27 | 94 | 9512.7 | -471.05 | -433.91 | -280.20 | 516.52 | 212.85 | 0.24 | -0.19 | 5.94 |
| 9629 | 1.45 | 195.25 | 93 | 9605.7 | -473.22 | -436.06 | -280.83 | 518.66 | 212.78 | 0.16 | 0.15 | -2.17 |
| 9697 | 1.53 | 205.56 | 68 | 9673.7 | -474.89 | -437.71 | -281.44 | 520.38 | 212.74 | 0.41 | 0.12 | 15.16 |
| 9766 | 1.70 | 225.43 | 69 | 9742.6 | -476.48 | -439.26 | -282.57 | 522.29 | 212.75 | 0.84 | 0.25 | 28.80 |
| 9778 | 1.65 | 231.17 | 12 | 9755.0 | -476.72 | -439.50 | -282.84 | 522.64 | 212.76 | 1.41 | -0.40 | 46.25 |
| 9798 | 1.61 | 240.77 | 20 | 9774.6 | -477.05 | -439.81 | -283.30 | 523.15 | 212.79 | 1.41 | -0.20 | 49.00 |
| 9861 | 5.32 | 354.36 | 63 | 9837.5 | -474.61 | -437.33 | -284.36 | 521.65 | 213.03 | 9.75 | 5.89 | 180.30 |
| 9954 | 18.30 | 8.66 | 93 | 9928.4 | -455.75 | -418.52 | -282.58 | 504.99 | 214.03 | 14.20 | 13.96 | -371.72 |
| 10049 | 27.72 | 6.71 | 95 | 10015.7 | -418.85 | -381.75 | -277.74 | 472.10 | 216.04 | 9.95 | 9.92 | -2.05 |
| 10078 | 30.02 | 6.86 | 29 | 10041.5 | -404.70 | -367.66 | -276.06 | 459.76 | 216.90 | 7.83 | 7.82 | 0.51 |
| 10143 | 35.09 | 7.13 | 65 | 10095.9 | -370.10 | -333.17 | -271.82 | 429.99 | 219.21 | 7.85 | 7.85 | 0.42 |
| 10238 | 45.51 | 4.00 | 95 | 10168.3 | -308.87 | -272.10 | -266.05 | 380.55 | 224.36 | 11.17 | 10.97 | -3.29 |
| 10332 | 54.85 | 5.75 | 94 | 10228.4 | -236.86 | -200.25 | -259.85 | 328.06 | 232.38 | 10.04 | 9.94 | 1.86 |
| 10425 | 65.39 | 5.21 | 93 | 10274.7 | -156.50 | -120.09 | -252.18 | 279.32 | 244.54 | 11.34 | 11.33 | -0.58 |

Minimum Radius of Curvature

API: 42-389-40511 **Well: Sunnyside State 2 C8HU ST01** **Wellhead Location N+/S-: 31.728492**
Operator: PDC **Area: Orla** **E+/W-: -104.016957**
Rig: Citadel 4 **Type: U-Lateral** **Magnetic Declination: 6.50**
TD: 21,479' **Plane of Proposal: 1.84**

| Measured Depth Ft | Drift Angle Deg | Azimuth Direction Deg | Course Length Ft | TVD Ft | Vertical Section Ft | COORDINATES | | CLOSURE | | Dog Leg Severity Deg/100' | Build / Drop Deg/100' | Left / Right Deg/100' |
|-------------------|-----------------|-----------------------|------------------|---------|---------------------|-------------|---------|-------------|---------------|---------------------------|-----------------------|-----------------------|
| | | | | | | N-S Ft | E-W Ft | Distance FT | Direction Deg | | | |
| 10519 | 76.80 | 2.77 | 94 | 10305.1 | -67.79 | -31.53 | -246.07 | 248.08 | 262.70 | 12.38 | 12.14 | -2.60 |
| 10614 | 84.98 | 3.95 | 95 | 10320.1 | 25.90 | 62.03 | -240.57 | 248.43 | 284.46 | 8.70 | 8.61 | 1.24 |
| 10708 | 90.10 | 4.75 | 94 | 10324.1 | 119.69 | 155.64 | -233.44 | 280.57 | 303.69 | 5.51 | 5.45 | 0.85 |
| 10802 | 88.54 | 4.68 | 94 | 10325.3 | 213.56 | 249.31 | -225.72 | 336.31 | 317.84 | 1.66 | -1.66 | -0.07 |
| 10896 | 88.87 | 4.89 | 94 | 10327.4 | 307.42 | 342.96 | -217.88 | 406.32 | 327.57 | 0.42 | 0.35 | 0.22 |
| 10991 | 86.22 | 0.74 | 95 | 10331.5 | 402.29 | 437.73 | -213.21 | 486.90 | 334.03 | 5.18 | -2.79 | -4.37 |
| 11011 | 86.41 | 0.99 | 20 | 10332.7 | 422.24 | 457.69 | -212.91 | 504.79 | 335.05 | 1.57 | 0.95 | 1.25 |
| 11106 | 86.29 | 0.79 | 95 | 10338.8 | 517.04 | 552.48 | -211.44 | 591.56 | 339.06 | 0.25 | -0.13 | -0.21 |
| 11200 | 85.51 | 2.07 | 94 | 10345.5 | 610.79 | 646.21 | -209.10 | 679.20 | 342.07 | 1.59 | -0.83 | 1.36 |
| 11293 | 90.63 | 2.12 | 93 | 10348.6 | 703.71 | 739.06 | -205.70 | 767.16 | 344.45 | 5.51 | 5.51 | 0.05 |
| 11388 | 88.70 | 2.09 | 95 | 10349.2 | 798.70 | 833.99 | -202.22 | 858.16 | 346.37 | 2.03 | -2.03 | -0.03 |
| 11482 | 91.48 | 1.87 | 94 | 10349.0 | 892.69 | 927.93 | -198.97 | 949.02 | 347.90 | 2.97 | 2.96 | -0.23 |
| 11577 | 94.08 | 2.11 | 95 | 10344.4 | 987.57 | 1022.75 | -195.67 | 1041.30 | 349.17 | 2.75 | 2.74 | 0.25 |
| 11671 | 91.93 | 3.20 | 94 | 10339.5 | 1081.42 | 1116.51 | -191.32 | 1132.79 | 350.28 | 2.56 | -2.29 | 1.16 |
| 11765 | 89.96 | 4.16 | 94 | 10338.0 | 1175.36 | 1210.30 | -185.29 | 1224.40 | 351.30 | 2.33 | -2.10 | 1.02 |
| 11859 | 90.17 | 4.25 | 94 | 10337.9 | 1269.28 | 1304.05 | -178.40 | 1316.20 | 352.21 | 0.24 | 0.22 | 0.10 |
| 11953 | 89.31 | 1.93 | 94 | 10338.3 | 1363.25 | 1397.90 | -173.33 | 1408.61 | 352.93 | 2.63 | -0.91 | -2.47 |
| 12047 | 89.71 | 1.08 | 94 | 10339.1 | 1457.24 | 1491.87 | -170.86 | 1501.62 | 353.47 | 1.00 | 0.43 | -0.90 |
| 12142 | 89.08 | 2.12 | 95 | 10340.1 | 1552.23 | 1586.82 | -168.21 | 1595.71 | 353.95 | 1.28 | -0.66 | 1.09 |
| 12236 | 87.09 | 4.81 | 94 | 10343.2 | 1646.13 | 1680.59 | -162.54 | 1688.43 | 354.48 | 3.56 | -2.12 | 2.86 |
| 12330 | 87.00 | 4.21 | 94 | 10348.1 | 1739.90 | 1774.17 | -155.15 | 1780.94 | 355.00 | 0.64 | -0.10 | -0.64 |
| 12424 | 87.81 | 3.35 | 94 | 10352.3 | 1833.75 | 1867.87 | -148.96 | 1873.80 | 355.44 | 1.26 | 0.86 | -0.91 |
| 12518 | 88.18 | 1.62 | 94 | 10355.6 | 1927.68 | 1961.72 | -144.89 | 1967.06 | 355.78 | 1.88 | 0.39 | -1.84 |
| 12612 | 90.36 | 2.21 | 94 | 10356.8 | 2021.67 | 2055.65 | -141.75 | 2060.53 | 356.06 | 2.40 | 2.32 | 0.63 |
| 12705 | 91.06 | 0.60 | 93 | 10355.7 | 2114.65 | 2148.61 | -139.47 | 2153.13 | 356.29 | 1.89 | 0.75 | -1.73 |
| 12799 | 91.72 | 359.58 | 94 | 10353.4 | 2208.58 | 2242.58 | -139.32 | 2246.91 | 356.45 | 1.29 | 0.70 | 381.89 |
| 12894 | 87.14 | 355.20 | 95 | 10354.3 | 2303.24 | 2337.43 | -143.64 | 2341.84 | 356.48 | 6.67 | -4.82 | -4.61 |
| 12988 | 89.23 | 358.76 | 94 | 10357.3 | 2396.84 | 2431.23 | -148.59 | 2435.77 | 356.50 | 4.39 | 2.22 | 3.79 |
| 13082 | 88.67 | 359.24 | 94 | 10359.0 | 2490.70 | 2525.20 | -150.23 | 2529.67 | 356.60 | 0.78 | -0.60 | 0.51 |
| 13177 | 90.38 | 2.71 | 95 | 10359.8 | 2585.67 | 2620.17 | -148.62 | 2624.38 | 356.75 | 4.07 | 1.80 | -375.29 |
| 13271 | 90.70 | 4.52 | 94 | 10358.9 | 2679.62 | 2713.97 | -142.69 | 2717.72 | 356.99 | 1.96 | 0.34 | 1.93 |
| 13365 | 90.31 | 5.43 | 94 | 10358.1 | 2773.47 | 2807.61 | -134.54 | 2810.84 | 357.26 | 1.05 | -0.41 | 0.97 |
| 13458 | 88.64 | 5.31 | 93 | 10359.0 | 2866.29 | 2900.20 | -125.84 | 2902.93 | 357.52 | 1.80 | -1.80 | -0.13 |
| 13553 | 88.40 | 6.57 | 95 | 10361.4 | 2961.01 | 2994.65 | -116.01 | 2996.90 | 357.78 | 1.35 | -0.25 | 1.33 |
| 13647 | 87.87 | 5.48 | 94 | 10364.5 | 3054.71 | 3088.08 | -106.15 | 3089.91 | 358.03 | 1.29 | -0.56 | -1.16 |
| 13741 | 88.57 | 3.83 | 94 | 10367.4 | 3148.55 | 3181.72 | -98.52 | 3183.25 | 358.23 | 1.91 | 0.74 | -1.76 |
| 13835 | 90.70 | 4.55 | 94 | 10368.0 | 3242.46 | 3275.47 | -91.65 | 3276.75 | 358.40 | 2.39 | 2.27 | 0.77 |
| 13928 | 91.92 | 3.17 | 93 | 10365.9 | 3335.38 | 3368.23 | -85.40 | 3369.31 | 358.55 | 1.98 | 1.31 | -1.48 |
| 14022 | 92.09 | 2.63 | 94 | 10362.6 | 3429.30 | 3462.05 | -80.64 | 3462.99 | 358.67 | 0.60 | 0.18 | -0.57 |
| 14116 | 90.55 | 1.68 | 94 | 10360.4 | 3523.27 | 3555.95 | -77.11 | 3556.79 | 358.76 | 1.92 | -1.64 | -1.01 |
| 14211 | 88.00 | 0.92 | 95 | 10361.6 | 3618.25 | 3650.91 | -74.95 | 3651.68 | 358.82 | 2.80 | -2.68 | -0.80 |
| 14305 | 89.20 | 0.52 | 94 | 10363.9 | 3712.20 | 3744.88 | -73.77 | 3745.60 | 358.87 | 1.35 | 1.28 | -0.43 |
| 14399 | 86.79 | 354.43 | 94 | 10367.2 | 3805.82 | 3838.68 | -77.91 | 3839.47 | 358.84 | 6.96 | -2.56 | 376.50 |
| 14493 | 87.55 | 347.97 | 94 | 10371.8 | 3898.04 | 3931.41 | -92.26 | 3932.49 | 358.66 | 6.91 | 0.81 | -6.87 |
| 14545 | 88.57 | 345.05 | 52 | 10373.6 | 3947.82 | 3981.60 | -104.30 | 3982.96 | 358.50 | 5.99 | 1.97 | -5.65 |
| 14587 | 89.41 | 342.65 | 42 | 10374.3 | 3988.09 | 4022.26 | -116.08 | 4023.94 | 358.35 | 6.00 | 1.98 | -5.67 |
| 14682 | 91.29 | 337.93 | 95 | 10373.8 | 4076.42 | 4111.67 | -148.11 | 4114.33 | 357.94 | 5.35 | 1.98 | -4.97 |
| 14776 | 91.06 | 331.75 | 94 | 10371.8 | 4160.12 | 4196.69 | -188.05 | 4200.90 | 357.43 | 6.58 | -0.24 | -6.57 |
| 14870 | 88.95 | 326.12 | 94 | 10371.8 | 4239.00 | 4277.17 | -236.53 | 4283.71 | 356.83 | 6.40 | -2.24 | -5.99 |
| 14963 | 89.66 | 320.42 | 93 | 10372.9 | 4311.68 | 4351.67 | -292.12 | 4361.46 | 356.16 | 6.18 | 0.76 | -6.13 |
| 15058 | 90.41 | 313.63 | 95 | 10372.9 | 4379.03 | 4421.14 | -356.84 | 4435.51 | 355.39 | 7.19 | 0.79 | -7.15 |
| 15151 | 91.43 | 307.80 | 93 | 10371.4 | 4437.36 | 4481.77 | -427.29 | 4502.09 | 354.55 | 6.36 | 1.10 | -6.27 |
| 15245 | 92.62 | 301.79 | 94 | 10368.1 | 4488.44 | 4535.35 | -504.40 | 4563.31 | 353.65 | 6.51 | 1.27 | -6.39 |
| 15339 | 93.71 | 296.88 | 94 | 10362.9 | 4531.76 | 4581.32 | -586.19 | 4618.67 | 352.71 | 5.34 | 1.16 | -5.22 |
| 15432 | 94.40 | 291.48 | 93 | 10356.3 | 4567.01 | 4619.30 | -670.79 | 4667.75 | 351.74 | 5.84 | 0.74 | -5.81 |
| 15526 | 92.47 | 286.63 | 94 | 10350.7 | 4594.77 | 4649.92 | -759.45 | 4711.53 | 350.72 | 5.54 | -2.05 | -5.16 |
| 15620 | 89.34 | 281.89 | 94 | 10349.2 | 4614.97 | 4673.06 | -850.50 | 4749.83 | 349.69 | 6.04 | -3.33 | -5.04 |
| 15714 | 90.24 | 276.99 | 94 | 10349.5 | 4627.40 | 4688.47 | -943.20 | 4782.41 | 348.63 | 5.30 | 0.96 | -5.21 |

Minimum Radius of Curvature

API: 42-389-40511 **Well: Sunnyside State 2 C8HU ST01** **Wellhead Location N+S-: 31.728492**
Operator: PDC **Area: Orla** **E+/W-: -104.016957**
Rig: Citadel 4 **Type: U-Lateral** **Magnetic Declination: 6.50**
TD: 21,479' **Plane of Proposal: 1.84**

| Measured Depth Ft | Drift Angle Deg | Azimuth Direction Deg | Course Length Ft | TVD Ft | Vertical Section Ft | COORDINATES | | CLOSURE | | Dog Leg Severity Deg/100' | Build / Drop Deg/100' | Left / Right Deg/100' |
|-------------------|-----------------|-----------------------|------------------|---------|---------------------|-------------|----------|-------------|---------------|---------------------------|-----------------------|-----------------------|
| | | | | | | N-S Ft | E-W Ft | Distance FT | Direction Deg | | | |
| 15809 | 91.12 | 272.44 | 95 | 10348.4 | 4632.16 | 4696.28 | -1037.84 | 4809.59 | 347.54 | 4.88 | 0.93 | -4.79 |
| 15904 | 90.34 | 268.09 | 95 | 10347.2 | 4629.55 | 4696.72 | -1132.81 | 4831.40 | 346.44 | 4.65 | -0.82 | -4.58 |
| 15998 | 90.67 | 264.46 | 94 | 10346.4 | 4620.44 | 4690.61 | -1226.59 | 4848.34 | 345.35 | 3.88 | 0.35 | -3.86 |
| 16048 | 89.42 | 261.56 | 50 | 10346.3 | 4612.71 | 4684.49 | -1276.57 | 4855.31 | 344.76 | 6.27 | -2.48 | -5.76 |
| 16092 | 88.33 | 259.05 | 44 | 10347.2 | 4603.99 | 4677.14 | -1319.58 | 4859.72 | 344.24 | 6.27 | -2.50 | -5.75 |
| 16187 | 90.04 | 254.21 | 95 | 10348.5 | 4579.07 | 4655.18 | -1411.96 | 4864.60 | 343.13 | 5.40 | 1.80 | -5.09 |
| 16280 | 92.62 | 250.15 | 93 | 10346.4 | 4547.80 | 4626.74 | -1500.45 | 4863.95 | 342.03 | 5.17 | 2.77 | -4.37 |
| 16375 | 93.50 | 246.71 | 95 | 10341.3 | 4510.12 | 4591.87 | -1588.66 | 4858.92 | 340.92 | 3.73 | 0.93 | -3.62 |
| 16391 | 94.41 | 246.31 | 16 | 10340.2 | 4503.29 | 4585.51 | -1603.30 | 4857.72 | 340.73 | 6.21 | 5.69 | -2.50 |
| 16484 | 91.34 | 238.67 | 93 | 10335.5 | 4457.80 | 4542.63 | -1685.60 | 4845.28 | 339.64 | 8.84 | -3.30 | -8.22 |
| 16579 | 91.13 | 232.17 | 95 | 10333.5 | 4401.44 | 4488.76 | -1763.76 | 4822.84 | 338.55 | 6.84 | -0.22 | -6.84 |
| 16673 | 91.36 | 226.69 | 94 | 10331.4 | 4338.08 | 4427.66 | -1835.12 | 4792.89 | 337.49 | 5.83 | 0.24 | -5.83 |
| 16767 | 90.76 | 221.26 | 94 | 10329.7 | 4268.41 | 4360.05 | -1900.35 | 4756.19 | 336.45 | 5.81 | -0.64 | -5.78 |
| 16861 | 92.38 | 216.15 | 94 | 10327.1 | 4193.26 | 4286.75 | -1959.09 | 4713.20 | 335.44 | 5.70 | 1.72 | -5.44 |
| 16954 | 89.73 | 206.11 | 93 | 10325.4 | 4112.28 | 4207.26 | -2007.09 | 4661.49 | 334.50 | 11.16 | -2.85 | -10.80 |
| 17048 | 89.50 | 199.95 | 94 | 10326.0 | 4024.68 | 4120.80 | -2043.85 | 4599.81 | 333.62 | 6.56 | -0.24 | -6.55 |
| 17143 | 87.48 | 195.27 | 95 | 10328.5 | 3933.31 | 4030.31 | -2072.57 | 4531.99 | 332.79 | 5.36 | -2.13 | -4.93 |
| 17236 | 91.13 | 188.93 | 93 | 10329.7 | 3841.87 | 3939.45 | -2092.05 | 4460.48 | 332.03 | 7.86 | 3.92 | -6.82 |
| 17330 | 93.78 | 187.16 | 94 | 10325.6 | 3748.52 | 3846.47 | -2105.19 | 4384.88 | 331.31 | 3.39 | 2.82 | -1.88 |
| 17424 | 87.09 | 181.48 | 94 | 10324.9 | 3654.70 | 3752.83 | -2112.26 | 4306.44 | 330.63 | 9.33 | -7.12 | -6.04 |
| 17519 | 88.78 | 181.50 | 95 | 10328.3 | 3559.77 | 3657.93 | -2114.73 | 4225.22 | 329.97 | 1.78 | 1.78 | 0.02 |
| 17613 | 88.53 | 181.00 | 94 | 10330.5 | 3465.80 | 3563.98 | -2116.78 | 4145.20 | 329.29 | 0.59 | -0.27 | -0.53 |
| 17707 | 90.74 | 182.02 | 94 | 10331.1 | 3371.81 | 3470.02 | -2119.26 | 4065.99 | 328.59 | 2.59 | 2.35 | 1.09 |
| 17802 | 90.03 | 181.43 | 95 | 10330.5 | 3276.81 | 3375.06 | -2122.12 | 3986.78 | 327.84 | 0.97 | -0.75 | -0.62 |
| 17896 | 90.38 | 182.38 | 94 | 10330.2 | 3182.81 | 3281.12 | -2125.24 | 3909.27 | 327.07 | 1.08 | 0.37 | 1.01 |
| 17990 | 88.45 | 180.51 | 94 | 10331.1 | 3088.83 | 3187.16 | -2127.61 | 3832.07 | 326.27 | 2.86 | -2.05 | -1.99 |
| 18085 | 92.76 | 180.95 | 95 | 10330.1 | 2993.88 | 3092.20 | -2128.82 | 3754.14 | 325.45 | 4.56 | 4.54 | 0.46 |
| 18119 | 93.20 | 181.25 | 34 | 10328.3 | 2959.61 | 3057.93 | -2129.48 | 3726.34 | 325.15 | 1.55 | 1.28 | 0.87 |
| 18180 | 93.99 | 181.78 | 61 | 10324.5 | 2899.05 | 2997.39 | -2131.08 | 3677.75 | 324.59 | 1.57 | 1.30 | 0.87 |
| 18274 | 93.77 | 181.95 | 94 | 10318.2 | 2805.26 | 2903.66 | -2134.13 | 3603.57 | 323.68 | 0.30 | -0.23 | 0.18 |
| 18368 | 94.85 | 182.41 | 94 | 10311.1 | 2711.53 | 2809.99 | -2137.70 | 3530.69 | 322.74 | 1.25 | 1.15 | 0.49 |
| 18463 | 97.71 | 180.20 | 95 | 10300.7 | 2617.12 | 2715.60 | -2139.85 | 3457.38 | 321.76 | 3.80 | 3.01 | -2.33 |
| 18557 | 92.54 | 179.93 | 94 | 10292.3 | 2523.57 | 2622.01 | -2139.96 | 3384.43 | 320.78 | 5.51 | -5.50 | -0.29 |
| 18652 | 90.29 | 180.83 | 95 | 10290.0 | 2428.64 | 2527.05 | -2140.59 | 3311.81 | 319.73 | 2.55 | -2.37 | 0.95 |
| 18745 | 89.65 | 181.42 | 93 | 10290.0 | 2335.65 | 2434.07 | -2142.42 | 3242.63 | 318.65 | 0.94 | -0.69 | 0.63 |
| 18839 | 92.62 | 182.62 | 94 | 10288.2 | 2241.68 | 2340.16 | -2145.73 | 3174.98 | 317.48 | 3.41 | 3.16 | 1.28 |
| 18932 | 92.42 | 183.13 | 93 | 10284.1 | 2148.79 | 2247.36 | -2150.39 | 3110.43 | 316.26 | 0.59 | -0.22 | 0.55 |
| 19027 | 90.76 | 182.57 | 95 | 10281.4 | 2053.84 | 2152.52 | -2155.11 | 3045.95 | 314.97 | 1.84 | -1.75 | -0.59 |
| 19121 | 90.41 | 184.15 | 94 | 10280.5 | 1959.88 | 2058.69 | -2160.62 | 2984.37 | 313.62 | 1.72 | -0.37 | 1.68 |
| 19215 | 91.02 | 183.14 | 94 | 10279.3 | 1865.94 | 1964.89 | -2166.59 | 2924.88 | 312.20 | 1.26 | 0.65 | -1.07 |
| 19309 | 90.97 | 184.40 | 94 | 10277.7 | 1772.01 | 1871.11 | -2172.77 | 2867.40 | 310.73 | 1.34 | -0.05 | 1.34 |
| 19403 | 91.29 | 184.79 | 94 | 10275.8 | 1678.13 | 1777.43 | -2180.30 | 2813.00 | 309.19 | 0.54 | 0.34 | 0.41 |
| 19498 | 90.59 | 183.85 | 95 | 10274.3 | 1583.24 | 1682.71 | -2187.46 | 2759.80 | 307.57 | 1.23 | -0.74 | -0.99 |
| 19592 | 91.46 | 182.92 | 94 | 10272.6 | 1489.29 | 1588.89 | -2193.01 | 2708.11 | 305.92 | 1.35 | 0.93 | -0.99 |
| 19686 | 90.74 | 181.94 | 94 | 10270.8 | 1395.31 | 1495.00 | -2196.99 | 2657.40 | 304.23 | 1.29 | -0.77 | -1.04 |
| 19781 | 91.33 | 181.64 | 95 | 10269.1 | 1300.33 | 1400.06 | -2199.96 | 2607.68 | 302.47 | 0.70 | 0.62 | -0.32 |
| 19875 | 92.17 | 180.95 | 94 | 10266.2 | 1206.38 | 1306.13 | -2202.08 | 2560.30 | 300.67 | 1.16 | 0.89 | -0.73 |
| 19969 | 91.04 | 181.16 | 94 | 10263.6 | 1112.43 | 1212.18 | -2203.81 | 2515.19 | 298.81 | 1.22 | -1.20 | 0.22 |
| 20063 | 89.13 | 180.86 | 94 | 10263.4 | 1018.44 | 1118.20 | -2205.47 | 2472.74 | 296.89 | 2.06 | -2.03 | -0.32 |
| 20158 | 89.68 | 181.19 | 95 | 10264.4 | 923.46 | 1023.22 | -2207.17 | 2432.81 | 294.87 | 0.68 | 0.58 | 0.35 |
| 20252 | 92.79 | 182.02 | 94 | 10262.4 | 829.49 | 929.29 | -2209.80 | 2397.25 | 292.81 | 3.42 | 3.31 | 0.88 |
| 20346 | 91.62 | 181.90 | 94 | 10258.8 | 735.56 | 835.42 | -2213.01 | 2365.45 | 290.68 | 1.25 | -1.24 | -0.13 |
| 20441 | 90.53 | 182.28 | 95 | 10257.0 | 640.58 | 740.50 | -2216.47 | 2336.90 | 288.47 | 1.22 | -1.15 | 0.40 |
| 20535 | 90.74 | 183.55 | 94 | 10255.9 | 546.61 | 646.63 | -2221.25 | 2313.46 | 286.23 | 1.37 | 0.22 | 1.35 |
| 20629 | 90.35 | 183.78 | 94 | 10255.0 | 452.66 | 552.83 | -2227.26 | 2294.85 | 283.94 | 0.48 | -0.41 | 0.24 |
| 20708 | 90.00 | 184.40 | 79 | 10254.8 | 373.72 | 474.03 | -2232.90 | 2282.66 | 281.99 | 0.90 | -0.44 | 0.78 |
| 20723 | 89.93 | 184.52 | 15 | 10254.8 | 358.73 | 459.08 | -2234.06 | 2280.74 | 281.61 | 0.93 | -0.47 | 0.80 |
| 20817 | 92.21 | 184.67 | 94 | 10253.1 | 264.87 | 365.40 | -2241.59 | 2271.18 | 279.26 | 2.43 | 2.43 | 0.16 |

Minimum Radius of Curvature

API: 42-389-40511 Well: Sunnyside State 2 C8HU ST01 Wellhead Location N+/S- : 31.728492
 Operator: PDC Area: Orla E+/W- : -104.016957
 Rig: Citadel 4 Type: U-Lateral Magnetic Declination: 6.50
 TD: 21,479' Plane of Proposal: 1.84

| Measured Depth Ft | Drift Angle Deg | Azimuth Direction Deg | Course Length Ft | TVD Ft | Vertical Section Ft | COORDINATES | | CLOSURE | | Dog Leg Severity Deg/100' | Build / Drop Deg/100' | Left / Right Deg/100' |
|-------------------------|-----------------------|-----------------------------|------------------------|-----------|---------------------------|-------------|-----------|----------------|------------------|---------------------------------|-----------------------------|-----------------------------|
| | | | | | | N-S Ft | E-W Ft | Distance FT | Direction Deg | | | |
| 20911 | 90.70 | 183.92 | 94 | 10250.7 | 170.99 | 271.70 | -2248.63 | 2264.98 | 276.89 | 1.79 | -1.61 | -0.80 |
| 21005 | 90.50 | 183.86 | 94 | 10249.7 | 77.05 | 177.92 | -2255.01 | 2262.01 | 274.51 | 0.22 | -0.21 | -0.06 |
| 21100 | 91.20 | 183.01 | 95 | 10248.3 | -17.90 | 83.10 | -2260.70 | 2262.22 | 272.11 | 1.16 | 0.74 | -0.89 |
| 21193 | 90.62 | 182.58 | 93 | 10246.8 | -110.87 | -9.77 | -2265.23 | 2265.25 | 269.75 | 0.78 | -0.62 | -0.46 |
| 21287 | 89.01 | 182.02 | 94 | 10247.1 | -204.87 | -103.69 | -2269.00 | 2271.37 | 267.38 | 1.81 | -1.71 | -0.60 |
| 21381 | 91.05 | 184.18 | 94 | 10247.1 | -298.83 | -197.55 | -2274.09 | 2282.65 | 265.04 | 3.16 | 2.17 | 2.30 |
| 21429 | 88.87 | 183.58 | 48 | 10247.1 | -346.80 | -245.43 | -2277.34 | 2290.52 | 263.85 | 4.71 | -4.54 | -1.25 |
| 21479 | 88.87 | 183.58 | 50 | 10248.1 | -396.77 | -295.33 | -2280.46 | 2299.50 | 262.62 | 0.00 | 0.00 | 0.00 |